



WEB

**BELTING EDGE**

CHAT

Industrial Food
Grade BeltingPlastic Modular
BeltingIndustrial Power
Transmission & Timing BeltsCNC
Engineering Facilities

COMPONENT	INFORMATION	NETT PRICE
<i>Housings / Dust Covers / Sprockets</i>		
38mm Bearing Housing + 6002 2RS Bearing	Tube 38.1 x 1.6	R21,12
50mm Bearing Housing + 6002 2RS Bearing	Tube 50.8 x 1.6	R23,76
60mm Bearing Housing + 6002 2RS Bearing	Tube 60.3 x 2.0	R27,72
63mm Bearing Housing + 6002 2RS Bearing	Tube 63 x 2.0	R28,38
63mm Bearing Housing + 6204 2RS Bearing + 20mm cover	Tube 63.5 x 2.0	R85,80
76mm Bearing Housing + 6005 2RS Bearing	Tube 76.2 x 3.0	R59,40
89mm Bearing Housing + 6205/6304 2RS Bearing + 20/25 seals	Tube 88.9 x 3.0	R101,64
Small Dust Covers 8mm, 10mm, 12mm, 14mm	Fits 38dia Bh and sprockets	R1,98
Big Dust Covers 8mm, 10mm, 11mm hex, 12mm, 14mm	Fits 50dia, 60dia and 63dia BH	R2,18
Dust Cover 16mm or 20 mm Round	Fits 76dia, 89dia and 101dia BH	R4,95
50mm Sprocket Adaptor	Fixed or friction drive. Fits all sprockets	R12,54
60mm Sprocket Adaptor	Fixed or friction drive. Fits all sprockets	R17,16
63mm Sprocket Adaptor	Fixed or friction drive. Fits all sprockets	R19,14
11 Tooth Simplex Sprocket + 6002 2RS Bearing	14mm bore only	R54,12
14 Tooth Simplex Sprocket + 2 x 6002 2RS Bearings	1/2 inch pitch	R72,60
14 Tooth Duplex Sprocket + 2 x 6002 2RS Bearings	1/2 inch pitch	R79,20



WEB



BELTING EDGE



CHAT

Industrial Food
Grade BeltingPlastic Modular
BeltingIndustrial Power
Transmission & Timing BeltsCNC
Engineering Facilities

COMPONENT	INFORMATION	NETT PRICE
<i>Taper Segments</i>		
Taper segments - individual - number 1	100mm long - fits 50.8 x 1.6 pipe	R26,40
Taper segments - individual - number 2	100mm long - fits 50.8 x 1.6 pipe	R26,40
Taper segments - individual - number 3	100mm long - fits 50.8 x 1.6 pipe	R26,40
Taper segments - individual - number 4	100mm long - fits 50.8 x 1.6 pipe	R29,04
Taper segments - individual - number 5	100mm long - fits 50.8 x 1.6 pipe	R29,04
Taper segments - individual - number 6	100mm long - fits 50.8 x 1.6 pipe	R29,04
Taper segments - individual - number 7	100mm long - fits 50.8 x 1.6 pipe	R31,02
Taper segments - individual - number 8	100mm long - fits 50.8 x 1.6 pipe	R31,02
Taper segments - individual - number 9	100mm long - fits 50.8 x 1.6 pipe	R35,64
Taper segments - individual - number 10	100mm long - fits 50.8 x 1.6 pipe	R42,24
Taper segments - individual - number 11	100mm long - fits 50.8 x 1.6 pipe	R46,20
Taper segments - individual - number 12	100mm long - fits 50.8 x 1.6 pipe	R48,84
Taper segments - individual - number 13	100mm long - fits 50.8 x 1.6 pipe	R51,48
Taper segments - individual - number 14	100mm long - fits 50.8 x 1.6 pipe	R55,44
<i>Steel Sprockets</i>		
STEEL 14 Tooth Duplex Fixed Sprocket + 6002 Bearings	1/2 inch pitch - 50/60/63dia	R310,20
STEEL 14 Tooth Duplex Friction Sprocket + 6002 Bearings	1/2 inch pitch - 50/60/63dia	R297,00
STEEL 14 Tooth Simplex Fixed Sprocket + 6002 Bearings	1/2 inch pitch - 50/60/63dia	R297,00
STEEL 14 Tooth Simplex Friction Sprocket + 6002 Bearings	1/2 inch pitch - 50/60/63dia	R264,00
STEEL 15 Tooth Duplex Fixed Sprocket + 6204 Bearing	5/8 inch pitch for 76dia pipe	R396,00
STEEL 18 Tooth Duplex Fixed Sprocket + 6204 Bearing	5/8 inch pitch for 89dia pipe	R448,80



WEB



BELTING EDGE



CHAT

Industrial Food
Grade BeltingPlastic Modular
BeltingIndustrial Power
Transmission & Timing BeltsCNC
Engineering Facilities

COMPONENT	INFORMATION	NETT PRICE
Gravity Roller Bearings		
25 diameter x 8 mm round gravity bearing	Tube 25.4 x 1.2	R11,60
32 diameter x 8mm round gravity bearings	Tube 32.1 x 1.2	R12,54
38 diameter x 11 mm round gravity bearing	Tube 38.1 x 1.6	R13,53
50 diameter x 11mm round gravity bearing	Tube 50.8 x 1.6	R19,14
50 diameter x 12mm round gravity bearing	Tube 50.8 x 1.6	R20,46
60 diameter x 13 mm round gravity bearing	Tube 60.3 x 2.0	R19,80
63,5 diameter x 13 mm hex gravity bearing	Tube 63.5 x 2.5	R46,20
63,5 diameter x 13 mm round gravity bearing	Tube 63.5 x 2.5	R46,20
76 diameter x 20 mm round gravity bearing	Tube 76.2 x 3.0	R52,80
89 diameter x 20mm round gravity bearing	Tube 88.9 x 3.0	R62,70
Troughing Idler Components		
4 inch/101mm Nylon Housing + Bearing + Seals 20/25mm	Tube 101 x 3.5	R108,90
5 inch/127mm Nylon Housing + Bearing + Seals 25mm	Tube 127 x 3.8	R112,20
4 inch/101mm Steel Housing + Bearing + Seals 20/25mm	Tube 101 x 3.5	R127,38
5 inch/127mm Steel Housing + Bearing + Seals 25mm	Tube 127 x 3.8	R132,00
6 inch/152mm Steel Housing + Bearing + Seals 25mm	Tube 152 x 4.0	R158,40
6 inch/152mm Steel Housing + Bearing + Seals 30mm	Tube 152 x 4.0	R217,80



WEB



BELTING EDGE



CHAT

Industrial Food
Grade BeltingPlastic Modular
BeltingIndustrial Power
Transmission & Timing BeltsCNC
Engineering Facilities

COMPONENT	INFORMATION	NETT PRICE
<i>Wheels / Ball Units / Roller Track</i>		
Skate Wheel 50 dia x 8mm bore - Steel	Load Rating 40kg each	R27,72
Skate Wheel 38 dia x 8mm bore - Steel	Load Rating 20kg each	R22,44
Skate Wheel 50 dia x 8mm bore - Plastic	Load Rating 15kg each	R22,44
Omni Flow Wheel 50 diameter (Yellow/White)	10mm / 12mm / 14mm bore	R35,64
Ball Transfer Unit (Dome/Round shape)	1 inch ball. 25kg load - 2 hole flange	R40,92
Ball Transfer Unit (Flat - flying saucer shape)	1 inch ball. 25kg load - 3 hole flange	R40,92
Nylon Housing stainless steel ball (Grade 420)	1 inch ball. 25kg load - 2 hole flange	R99,00
Steel (Hardened) Heavy Duty Ball Unit	30mm ball. 250kg load - Weld in	R198,00
Mild Steel Roller Track - Light Duty - Yellow Wheels 2m	Roller 28mm diameter @ 33mm pitch. 0.8mm plate. Price Per m.	R145,20
Mild Steel Roller Track - Medium Duty - Black Wheels 3m	Roller 33mm diameter @ 37mm pitch. 1.2mm plate. Price per m.	R171,60

BELTING EDGE



WEB



BELTING EDGE



CHAT

Industrial Food
Grade BeltingPlastic Modular
BeltingIndustrial Power
Transmission & Timing BeltsCNC
Engineering Facilities

COMPONENT	INFORMATION	NETT PRICE
PVC Bearings and Pipe		
20 dia PVC housing for PVC pipe	Tube 20 x 1.5mm 6mm Bore	R13,20
30 dia PVC housing for PVC pipe	Tube 30 x 1.8mm 8mm Bore	R14,52
38 dia PVC housing for PVC pipe	Tube 38 x 1.8mm 10mm Bore	R15,84
50 dia PVC housing for PVC pipe	Tube 50 x 2.5mm 10mm Bore	R17,16
20 dia PVC Pipe - Grey - sold per meter	Tube 20 x 1.5mm	R79,20
30 dia PVC Pipe - Grey - sold per meter	Tube 30 x 1.8mm	R105,60
38 dia PVC Pipe - Grey - sold per meter	Tube 38 x 1.8mm	R112,20
50 dia PVC Pipe - Grey - sold per meter	Tube 50 x 2.5mm	R132,00
Springs		
6mm stainless steel spring	6mm x 0.9mm	R3,96
8mm stainless steel spring	8mm x 1.2mm	R8,71
11mm stainless steel spring	11mm x 1.2mm	R5,28
13mm stainless steel spring	13mm x 1.4mm	R21,12
13hex / 14mm stainless steel spring	13hex/14mm x 1.6mm	R22,44
16mm stainless steel spring	16mm x 1.6mm	R23,76
8mm Galvanised spring	8mm x 1.2mm	R1,98
11mm Galvanised spring	11mm x 1.2mm	R2,18
13mm Galvanised spring	13mm x 1.4mm	R2,64
13hex/14mm Galvanised spring	13hex/14mm x 1.6mm	R3,30
16mm Galvanised spring	16mm x 1.6mm	R7,92
20mm Galvanised spring	20mm x 2.0mm	R10,56



WEB

**BELTING EDGE**

CHAT

Industrial Food
Grade BeltingPlastic Modular
BeltingIndustrial Power
Transmission & Timing BeltsCNC
Engineering Facilities

COMPONENT	INFORMATION	NETT PRICE
<i>Precision Bearings</i>		
6002 2RS Stainless Steel Precision Bearing	Grade 420	R59,40
6005 2RS Precision Bearing		R17,64
6204 2RS Precision Bearing		R17,64
6304 2RS Precision Bearing		R36,96
6205 2RS Precision Bearing		R27,72
6306 2RS Precision Bearing		R66,00
6204 2RS Stainless Steel Precision Bearing	Grade 420	R62,04
<i>Articulated feet / Tube Inserts / Handles and Hinges</i>		
60diameter articulated foot	M16 STEM. Rubber anti-slip pad	R132,00
80diameter articulated foot	M16 STEM. Rubber anti-slip pad	R138,60
100diameter articulated foot	M16 STEM. Rubber anti-slip pad	R145,20
80diameter articulated foot	M12 STEM. Rubber anti-slip pad	R85,80
38x38x2.0 insert M12 - brass	Square only	R47,52
40x40x1.5 insert M16 - brass	Square only	R50,16
40x40x2.0 insert M16 - brass	Square only	R50,16
50x50x1.5 insert M16 - brass	Square only	R52,80
50x50x2.5 insert M16 - brass	Square only	R52,80
Small Hinge	Outer dimensions 70mm x 50mm Hole Centres 46mm x 30mm	R37,62
Big Hinge	Outer dimensions 102mm x 80mm Hole Centres 72.5mm x 49.5mm	R48,84
Small Handle	Hole Centres 110mm x 90mm	R34,32
Big Handle	Hole Centres 136mm x 117mm	R40,92



WEB



BELTING EDGE



CHAT

Industrial Food
Grade BeltingPlastic Modular
BeltingIndustrial Power
Transmission & Timing BeltsCNC
Engineering Facilities

COMPONENT	INFORMATION	NETT PRICE
<i>Bottling Conveyor Components</i>		
Guide Rail Bracket complete with star knob & eye bolt	12mm	R151,80
Guide Rail Brack Only	12mm	R79,20
Star Knob Only	M10	R52,80
Eye Bolt Only	12mm x M10	R33,00
Single Clamp	12mm Round	R59,40
Double Clamp	12mm Round	R66,00
Tri-Pod	Fits 50.8 Tube. NO feet	R389,40
Bi-Pod - with extension and with no extension	Fits 50.8 Tube. NO feet	R369,60
Rectangular Support Head	Fits 50.8 Tube	R184,80
Square Support Head	Fits 50.8 Tube	R165,00
Side mounting Support Head	Fits 50.8 Tube	R191,40
20mm Split Locking Collars Bore Only	Round Only	R19,80
25mm Split Locking Collars Bore Only	Round Only	R21,12
30mm Split Locking Collars Bore Only	Round Only	R22,44
35mm Split Locking Collars Bore Only	Round Only	R23,76
40mm Split Locking Collars Bore Only	Round Only	R25,08
20mm Split Locking Collars Bore and 6mm Keyway	Round Only	R20,46
25mm Split Locking Collars Bore and 8mm Keyway	Round Only	R21,78
30mm Split Locking Collars Bore and 8mm Keyway	Round Only	R23,10
35mm Split Locking Collars Bore and 10mm Keyway	Round Only	R24,42
40mm Split Locking Collars Bore and 12mm Keyway	Round Only	R25,74



WEB

**BELTING EDGE**

CHAT

Industrial Food
Grade BeltingPlastic Modular
BeltingIndustrial Power
Transmission & Timing BeltsCNC
Engineering Facilities

COMPONENT	INFORMATION	NETT PRICE
Miscellaneous - Brakes / Bands / Spools / Swivel Plates / Slat chain + sprockets		
120 diameter Brake Roller	1000kg load. Complete with bracket/springs + 2 mounting stems	R1 056,00
Jump Drive Bands 85 diameter	Clear - 5mm thick	R25,08
Drive Bands 105 diameter	Clear - 5mm thick	R26,40
Spools with hole for optional fixing	Fits a 25mm Shaft	R23,76
Swivel Plate	4mm Thick. Galvanised	R50,16
3 1/4" straight running chain	Per Meter	R303,60
3 1/4" TAB chain	Per Meter	R363,00
4 1/2" TAB chain	Per Meter	R396,00
7 1/2" TAB chain	Per Meter	R594,00
7 1/2" Single hinge straight running chain	Per Meter	R528,00
12Tooth Split Drive sprocket 25bore	To Suit TAB Chains	R343,20
25Tooth Split Drive sprocket 25bore	To Suit Straight running chains	R363,00

BELTING EDGE